Consumer Service: 1-920-929-5040

Eagle and Lowrance are registered trademarks of Lowrance Electronics Inc. Garmin is a registered trademark of Garmin Ltd. MotorGuide, Great White, Mercury Marine, Mercury Propellers, Machete, Gator and VariMax are registered trademarks of Brunswick Corporation. WideBite, Cradle Lock, Shark Logo and Bounce Buster are trademarks of Brunswick Corporation. Humminbird is a trademark of Johnson Outdoors, Inc. VELCRO is a registered trademark of Velcro Industries B.V. Vexilar is a registered trademark of Vexilar, Inc.

8M0089173

Copyright © MotorGuide 2014 All Rights Reserved

MotorGuide®

Product Guide 2014

"There's only one trolling motor for me. And that's MotorGuide."

ASK THE CHAMP, KEVIN VANDAM, and he'll tell you there's only one trolling motor that can fish as hard as he does. The same can be said for many other hard-charging pro anglers that rely on MotorGuide in the most competitive tournaments out there. So even though fishing may not be your livelihood, it's good to know you can compete for bragging rights with the brand preferred by the leading pro circuit anglers like Kevin Vandam.

Built to earn you bragging rights.

WE EXPANDED OUR LINEUP with two new trolling motors, including the rugged, high-performance Xi5 electric steer – available with our Pinpoint GPS navigation technology – and the new X3 bow-mount. These additions demonstrate our commitment to building products that meet your expectations for reliability, durability, quiet operation and precise control.

Xi5 | Pinpoint GPS | X3

WHERE ENGINEERING AND ANGLING COME TOGETHER. MotorGuide continues to build on a rich legacy of product innovation that began nearly 60 years ago. Backed by a strong commitment and dedicated resources, we have a renewed focus on designing, engineering and manufacturing best-in-class trolling motors that deliver quiet operation, precise control and ease of use. Plus, we're working to exceed our customer's expectations for motors that are reliable and durable over the long haul.

Here are just a few examples of the innovative technology and attention to detail that makes MotorGuide the choice of today's top anglers.



2-YEAR MOTORGUIDE WARRANTY. As testament to the superior technology and rigorous testing that goes into every motor we build, we back them with one of the best warranties in the business.

TWO 2 YEAR WARRANTY

OUR LOWER UNIT IS AN ARMOR-PLATED WORKHORSE. It's tough as nails, runs cooler and lasts longer. It starts with a TGIC polyester topcoat for protection against scrapes and general abuse. Our saltwater motors undergo an even higher level of corrosion resistance with a multi-stage coating process that includes 99.9% pure AlumiPlate coating under zinc-free epoxy powder primer. Of course, every motor is water and pressure tested for optimum seal.

RUN LONGER WITH DIGITAL. With Digital technology, you have control over the power, so you get the precise amount that you need when you need it. And the variable-speed power is delivered smoothly and incrementally, which means exceptional low-speed trolling capability. Plus, Digital power management is highly efficient, which allows for longer run time and fewer battery charges.

DIGITAL POWER MANAGEMENT

FULLY PROTECTED ELECTRONICS. MotorGuide consolidates all vital electronic components in a self-contained, sealed module for maximum protection against the elements. This solution is virtually bulletproof and far surpasses other systems in toughness and reliability.



COMPOSITE SHAFTS on select motors are made with a premium material that will bend, but won't break. They're backed with a lifetime warranty, so you can fish anywhere with confidence.

UNRIVALED SONAR PERFORMANCE. Our 83/200 kHz built-in sonar transducer delivers industry-leading clarity and detail – helping you pinpoint more fish and more structure to maximize your fishing success. It has a built-in temperature sensor and the nose cone is epoxy-potted for maximum protection.



SONAR

LOWRANCE HUMMINBIRD VEXILAR EAGLE GARMIN

Pinpoint GPS

NEW for 2014.

Pinpoint GPS takes boat control to the next level with an ultra-precise receiver and two digital compasses for best-in-class accuracy. Pinpoint GPS and the new Xi5 wireless trolling motor work together to navigate your boat – so you can focus on fishing.

INTRODUCING THE ALL-NEW Xi5 WIRELESS TROLLING MOTOR.

Introducing the all-new Xi5 wireless trolling motor. With wireless capability "right out of the box", anglers can command its precise control capabilities from anywhere on the boat. Plus, the Xi5 is stealthy quiet and silky smooth to put you over fish and keep you there. From top to bottom, the Xi5 is built with premium materials and robust components for the reliability and durability you expect from MotorGuide.

Available Thrust:
55, 80, 105

Speed Control:
Digital

Shaft Length:
45, 48, 54, 60

DIGITAL

TWO 2 YEAR WARRANTY

SONAR

COMPOSITE SHAFT is made with a premium material that will bend, but won't break. It's backed by a lifetime warranty, so you can fish anywhere with confidence.

WIRELESS PRO-STYLE FOOT PEDAL for outstanding control from anywhere on the boat. Steering is quiet and precise with 50% faster rotation than the competition. Freshwater Xi5 comes standard with foot pedal.

MOUNT BASE is made of corrosion-resistant anodized aluminum. A unique design guides and secures the motor into the stowed position.

Pinpoint GPS

AVAILABLE PINPOINT GPS has an ultra-precise receiver and digital compasses for best-in-class GPS accuracy. Pinpoint GPS works with the Xi5 to navigate your boat so you can focus on fishing. Features include Anchor, Heading Lock, Route Record and Cruise Control.



SALTWATER Xi5 comes standard with hand-held remote.

FROM ITS SEALED LOWER UNIT to its specialized coatings, the Saltwater Xi5 is specially built to resist corrosion.

Features

Durable and Reliable

- Premium composite shaft has a lifetime warranty against breaking
- Electronics are encapsulated and impervious to water and dust
- Mount uses anodized aluminum. Hardware components and linkages are stainless steel

Precise Steering and Control

- Wireless "pro style" foot pedal for outstanding control. Saltwater Xi5 model comes with hand-held remote
- Steering transmission is highly-precise and has 50% faster rotation than the competition
- Digital variable speed control for exceptional low-speed trolling and smooth power delivery

Quiet on the Water

- Precision steering transmission gears and low-friction bearings.
- Extra rigid shaft support and low-vibration steering motor reduce noise, vibration and harshness

Easy to Use

- Mechanism aligns and guides the motor into the stowed position and secures it in place
- LED lights in the dashboard show battery level and status of key operating modes

PINPOINT GPS TECHNOLOGY TAKES BOAT CONTROL TO THE NEXT LEVEL with an ultra-precise receiver and two digital compasses for best-in-class accuracy. Pinpoint GPS and the Xi5 wireless trolling motor work together to navigate your boat – so you can focus on fishing.

Pinpoint GPS

TWO 2 YEAR WARRANTY

ANCHOR

When at a desired fishing spot, you can lock in the GPS coordinate and remain "anchored" within a few feet, even in wind and current. Save up to eight anchor spots for later use.



JOG

While in Anchor mode, use the Jog feature to shift your position five feet in any direction. You can Jog as often as you want. (Image shows one Jog left from the original Anchor position.)



HEADING LOCK

Choose a heading and Pinpoint GPS and the Xi5 will keep you on a straight-line course until Heading Lock is released.

ROUTE RECORD/PLAYBACK

Record and store eight routes up to four miles long each. Return to and replay a stored route from anywhere.



CRUISE CONTROL

While underway using Heading Lock or Route Playback, Cruise Control will maintain a constant boat speed. It even makes adjustments for wind and current.

MOTORGUIDE AND LOWRANCE HAVE ENHANCED Xi5 PERFORMANCE WITH PINPOINTCONNECT, a seamless interface between Pinpoint GPS-enabled Xi5 motors and Lowrance Gen2 and Gen2 Touch electronics. Available in 2014.

Pinpoint GPS

Pinpoint GPS ----- PinpointConnect ----- Xi5

Xi5 ACCESSORIES

QUICK-RELEASE BRACKET
Aluminum, Black
90100002

QUICK-RELEASE BRACKET
Composite, White
90100001

WIRELESS REMOTE
2.4 GHZ
90100006

WIRELESS FOOT PEDAL
2.4 GHZ
90100007

PINPOINT® GPS REPLACEMENT REMOTE
90100009

PINPOINT® GPS NAVIGATION SYSTEM
Highly-accurate GPS technology with easy-to-use navigational features.
90100008

MOTORGUIDE DIGITAL DURABILITY GIVES YOU PRECISE WIRELESS CONTROL AND FREEDOM OF MOVEMENT. The Wireless Digital Series comes standard with a wireless foot pedal and the versatility to use up to four remote inputs, including the optional hand-held remote. Select models have a built-in transducer and temperature sensor for an even greater advantage when connected to your compatible sonar unit. Stowing and deploying the Wireless is smooth and easy. And with a built-in removable mount, rough-water lower-unit cradle and an integrated battery indicator, you'll be more than ready to command its versatile "right out of the box" wireless performance.

WIRELESS

Available Thrust:	Speed Control:	Shaft Length:
45, 55, 75	Variable	48, 54, 60″

DIGITAL · TWO 2 YEAR WARRANTY · SONAR



COMPOSITE SHAFT is made with a premium material that will bend, but won't break. It's backed by a lifetime warranty, so you can fish anywhere with confidence.

WIRELESS FREEDOM is what MotorGuide's exclusive high-frequency Wireless Foot Pedal is all about. On/Off, Right/Left and Faster/Slower wireless motor commands make it a cinch to master for novice and expert alike. Simple, fast and precise wireless boat positioning from anywhere on the deck with a low-profile foot pedal – use it sitting or standing.

QUICK-RELEASE MOUNTING PLATE makes installation fast and simple. Made from tough extruded aluminum, the mounting plate locks in place to form a rock-solid connection and uses a common hole pattern. You can stow your motor in your vehicle while trailering to avoid rough-road abuse, or quickly transfer it to a secure location when you can't watch the boat. This patented piece of equipment comes standard.

Standard Mounting Plate

Optional Cover

BUILT-IN BATTERY INDICATOR includes four levels of charge data to maximize fishing time.

Features

- Wireless value is delivered with a built-in receiver. You're now free to add to your system
- Mix and match up to four Wireless Hand-helds or Wireless Foot Pedals in any combination
- Perfect for tournament situations and/or tough bites that require teamwork, precise boat control, and accurate bait presentations
- One hand stow and deploy. Stow and deploy is easy and ultra-smooth with our Wireless Edition motors. One hand and a light pull, and you're ready to make a run to your next spot

Optional Hand-held Remote

Wireless Saltwater Model

TOURING PROFESSIONALS GET AN EDGE with MotorGuide's Tour Edition. There are a few reasons why successful touring pros run MotorGuide Tour Edition. They rely on Tour for the Digital advantage that lets them dial into precise speeds – and leverage the benefits of longer battery life. Plus, Tour's tough stainless steel shafts and metal pedals and heads make it virtually indestructible. So when your livelihood depends on the performance of your equipment, you go with the top performing trolling motor. The good news is, even if your livelihood isn't tied to the pro tour, you can still get the same professional edge with the Tour Edition.

TOUR

Available Thrust:	Speed Control:	Shaft Length:
75, 82, 109	Digital Variable	45, 50, 60"

DIGITAL · TWO 2 YEAR WARRANTY · SONAR

MOTORGUIDE DIGITAL monitors your motor's amp-draw, heat dissipation, output and other vital parameters, resulting in a cooler-running, more durable motor with an extended service life. Digital is a self-contained, sealed module in the lower unit of the Tour that brings all vital motor components together in one protected location, while eliminating outdated analog circuit boards and their related components.

GATOR® BREAKAWAY MOUNT is crafted using aircraft-grade aluminum and has a breakaway feature that guards against damage from underwater obstacles.



THE 83/200 kHz SONAR TRANSDUCER provides incredible detail and is epoxy-potted in the nose cone for maximum protection. Combined with a built-in temperature sensor and compatible with most current sonar products.

LOWRANCE · HUMMINBIRD · vexilar · EAGLE · GARMIN

Features

- Stainless steel shafts and components, metal head, and pedal make this the toughest trolling motor ever
- Digital power from 75 to 109 pounds of thrust with 24- or 36-volt options
- Completely sealed Digital module is protected from heat, moisture, corrosion and shock, greatly improving durability
- MotorGuide Digital efficiency results in sustained battery life and more time on the water
- Soft-start feature ramps up power, creating smoother initial motion
- Machete III Prop runs quiet and has a smaller diameter than two-blade designs for the ultimate shallow water performance
- Pull-pull cable steering with stainless steel pulleys is known for its feel and precision, limiting torque and fatigue
- Compact, hydrodynamic, lightweight lower units
- MicroSwitch is designed to withstand the demands of harsh, wet tournament conditions
- Gator Breakaway Mount is crafted using extruded aircraft aluminum for rock-solid durability, with a breakaway feature that guards against damage from underwater obstacles
- Gator Breakaway mount features a hinged door for quick and easy motor removal

SMOOTH VARIABLE SPEED and our exclusive Machete III prop combine for quiet operation that gets you closer to fish.

ALL METAL HEAD AND FOOT PEDAL. Durable construction ensures high performance.

THE NEW X3 IS THE LATEST ADDITION OF HIGH-VALUE TROLLING MOTORS that are designed and engineered to be best in class for quiet operation, reliability and precise control. The new X3 is a highly versatile motor constructed of durable components and offering premium features. Its combination of performance and price is sure to get the attention of anglers looking for high value in a bow-mounted foot or hand operated motor.

X3

Available Thrust:
45, 55, 70

Speed Control:
Foot Operated - 5-Speed
Hand Operated - 5/2-Speed

Shaft Length:
36, 45, 50

TWO 2 YEAR WARRANTY



VARIABLE RATIO STEERING gives anglers precise steering and boat control in the primary angling zone where it's needed most. This proprietary technology also reduces torque steering feedback for smoother operation. Plus, premium dual-cable steering is responsive and durable.

COMPOSITE INNER SHAFT is made with a premium material that will bend, but won't break. It's backed by a lifetime warranty, you can fish anywhere with confidence. The outer shaft is large-diameter, corrosion-resistant stainless steel for added strength.

AIRCRAFT-GRADE ALUMINUM MOUNT features stainless steel bushings in key wear areas for long-term performance. Tight-fitting components and fewer metal-to-metal interfaces make the X3 a quiet performer during operation and while stowing and deploying.

Features

Precise Steering and Control
(foot-operated model)

- Variable Ratio Steering (patent pending) delivers precise steering and boat control
- Premium dual-cable, pull-pull steering is standard
- Ergonomic, heel-toe operated foot pedal is easy to use

Quiet on the Water

- Tight-fitting components and fewer metal-to-metal interfaces
- Collar keeps precision bearings secure for quiet operation and low wear
- Smooth-spinning 2-blade weedless propeller

Durable and Reliable

- Stable, wide-stance mount is constructed using rigid aircraft-grade aluminum
- Inner shaft is made with a premium composite with a lifetime guarantee against breaking
- Stainless steel bushings and precision bearings ensure long-term performance

Easy to Use

- Hinged "door" for easy motor height adjustment and removal
- Quick-view directional indicator (foot-operated model)
- Easy to stow and deploy

The X3 is also available in durable hand-operated models

THE FRESHWATER HAND-OPERATED BOW MOUNT IS ONE TOUGH AND POWERFUL MOTOR. With 109 lbs. of thrust and 36 volts, you'll have our most powerful hand-operated model at your fingertips. And its power is matched with the tough Gator® Breakaway mount for an unbeatable combination that you can rely on for the long haul. But it's not all about power. The Freshwater also gives anglers efficient and smooth-operating performance with its Digital variable speed control and quiet Machete III propeller. So if you're in the market for a proven, top performing, high value motor – take a close look at the Freshwater hand operated.

FRESHWATER

Available Thrust:	Speed/Control:	Shaft Length:
109	Digital Variable	50
Bulldog: 40,54	Bulldog: 5-Speed	Bulldog: 30

DIGITAL

TWO 2 YEAR WARRANTY

PROPS.
Go shallower, faster and quieter with our tapered hub, 3-blade weed-free Machete® III prop.

BULLDOG™ MODELS PACK BIG FIGHT IN A SMALL PACKAGE. Perfect for small-boat applications, the Bulldog comes in a 40 lb. and 54 lb. thrust, with 30" aluminum shafts. The Bulldog can be mounted on the transom and can also be modified for backtrolling from the bow. Other standard features include legendary MotorGuide durability, rack and pinion steering and a 63" cable.

Features

- Freshwater has Digital variable speed technology for smooth power delivery and longer battery life
- Quiet, smooth operation lets you get closer to the fish
- Compact, lightweight lower units
- Two Bulldog foot-control models are specialized for small-boat transom-mount applications
- Bulldog models have durable and reliable rack-and-pinion steering

FRESHWATER

VARIMAX TECHNOLOGY GIVES YOU THE FREEDOM TO FISH ALL DAY WITH UNMATCHED CONTROL OF YOUR BOAT, DAY IN AND DAY OUT.

Anglers will be quick to recognize the rugged, functional styling of VariMAX highlighted by the intuitive push/pull, forward and reverse speed adjustments. The BluVis function display shows direction (forward/reverse), precise speed settings, and 10 levels of battery voltage when turned off. These motors are designed to have the longest run time of any motor in its class and the advantage of precise variable speed adjustment. Fish longer, fish at exactly the speed you want, and fish quieter with VariMAX.

VARIMAX

Available Thrust:	Speed/Control:	Shaft Length:
40, 45, 55, 75	Variable	30, 36, 42, 50

DIGITAL

TWO 2 YEAR WARRANTY



As the handle is rotated, the speed of the motor is shown by the BluVis diplay in 10% increments.

Motor is operating at 70% in this illustration.

Indicates motor direction

When motor is turned off, the BluVis display shows battery voltage level for 3 seconds.

12-volts remaining in this illustration of a 12-volt battery (13.5-volts fully charged).

INDUSTRY-LEADING TRANSOM MOUNT.
The VariMAX transom mount features aluminum alloy construction with a rugged powder coat finish. Stainless hinge pins provide the ultimate in strength, rigidity and durability. Includes an easy-to-use tilt/stow/deploy mechanism and swing over knobs on the clamp screws, allowing you to lock the motor to the transom.

NEVER GET STRANDED WITH THE BLUVIS™ FUNCTION DISPLAY.
BluVis shows direction, precise speed settings and 10 levels of battery voltage when turned off. (BluVis 24-volt motor example shown below.)

Push/pull direction and speed control

BOW MOUNTS. All the VariMAX bow mount motors are equipped with the legendary, rock-solid Gator Breakaway mount.

Features

- Digital Variable Speed Control minimizes amp draw and maximizes fishing time – fish up to 5x longer than a 5-speed motor
- Large diameter 1.25" aluminum shaft for greater strength and durability
- Powerful 3.5" diameter VariMAX Digital motors run cooler and last longer
- Revolutionary intuitive push/pull, forward and reverse speed adjustments
- Precise BluVis integrated speed and battery indicator
- Aluminum Transom Mount with 7-point adjustment eliminates slack
- One-touch, rapid slide-depth adjustment collar
- Extendable Tri-Lobe, soft-touch handle. You set the length for the perfect feel and control
- Easy to adjust with a simple Allen wrench, the VariMAX's head can be repositioned for use on the bow, transom or even the side of your boat
- Convenient and reliable mount for pontoon applications (Freshwater model only)



VariMAX Saltwater Model

THE R3 TRANSOM MOUNT IS THE ULTIMATE IN STRENGTH, RIGIDITY AND DURABILITY. The aluminum alloy mount construction and stainless steel hinge pins help make it one of the most powerful and durable trolling motors available. A classic control, with 5 speeds forward / 2 speeds reverse and reversible motor head create a dependable yet versatile motor. Put the control at your fingertips with the R3's ergonomic extending handle and a durable multi-position angle adjustment aluminum mount.

R3

Available Thrust:	Speed/Control:	Shaft Length:	
30, 40, 45, 55	5-Speed	30, 36"	TWO 2 YEAR WARRANTY

DEPENDABLE LOWER UNIT is constructed of solid steel and aluminum with a powder coat finish.

INDUSTRY-LEADING TRANSOM MOUNT. Found on the 45 and 55 lb. thrust models, the R3 transom mount features aluminum alloy construction with a rugged powder coat finish. The proprietary tapered stainless steel hinge pin provides the ultimate in strength, rigidity and durability and ensures solid engagement in all 7 positions.



TWIST-TILLER OPERATION. You have finger-tip control of 5 speeds forward and 2 reverse with the R3's ergonomic extending handle and a durable multi-position angle adjustment aluminum mount.

Features

- 5 speeds forward and 2 reverse
- Reversible motor head for bow or transom mount operation
- Ergonomic, extending handle puts control at your fingertips
- Mount with 7-point adjustment
- Aluminum shaft provides strength and durability
- Solid aluminum and steel lower unit with powder coat finish
- Stainless steel propeller shaft and 3-blade Machete prop
- Quiet operation lets you get closer to the fish
- Powerful, 3.5" lower unit runs cooler and lasts longer

PROPS. Go shallower, faster and quieter with our tapered hub, 3-blade weed-free Machete® III prop.

THE GREAT WHITE® IS PREPARED TO TAKE ON THE EXTREME TEST OF SALTWATER. Heat? Corrosion? Big-water pounding? All in a day's work for these powerful predators. Our Great White edition is the choice of guides, competitive anglers, and die-hards around the world. From the specially formulated coating, to the epoxy-sealed lower unit, to the Stainless Steel shaft – the durability starts on the outside and goes all the way to the core. Great White. A proven motor ready to go the distance with you in one of the most caustic environments on earth.

GREAT WHITE

Available Thrust: 82, 109

Speed/Control: Digital Variable/ Pull-Pull

Shaft Length: 45, 50, 60″

DIGITAL

TWO 2 YEAR WARRANTY

UPGRADE TO THE GREAT WHITE MACHETE® III GLASS-FILLED PROPELLER. Go faster, go shallower, go quieter with MotorGuide's specially formulated material that's stiffer and more rugged. Get the durability that the pros demand. Sold as an option.

EATIN' UP THE ULTIMATE TEST. Shallow-water saltwater guides and anglers on the Saltwater Redfish circuits choose Great White Digital for a simple reason – they're the most dependable trolling motors out there. Long days on the flats are the ultimate test of your equipment, and these motors don't just pass it, they eat it up and come back for more. MotorGuide invented the saltwater-specific trolling motor and we continue leadership today as the choice of guides and avid saltwater anglers around the world.

Bow Mount

GREAT WHITE is available in bow mount and transom mount models.

Transom Mount

MOTORGUIDE DIGITAL monitors your motor's amp draw, heat dissipation, output and other vital parameters. The result is a motor that self-regulates– a cooler, more durable running motor with an extended service life. It is a self-contained, sealed module in the lower unit that brings all vital motor components together in one protected location, eliminating outdated analog circuit boards and related componentry.

Features

- Digital power in 82 to 109 pounds of thrust with 24- or 36-volt power options
- Ultra pure aluminum coating "self-heals" from scratches providing added protection in abrasive shallow water use
- Stainless steel shaft, fasteners and control cables
- Anodized aluminum mounts and components prevent galvanic corrosion through our specialized multi-step process
- Completely sealed Digital module is protected from heat, moisture, corrosion and shock, greatly improving durability
- Improved efficiency results in extended battery life and more time on the water
- Soft-start feature ramps up power, creating smoother initial motion
- Quiet, smooth operation lets you get closer to the fish
- Machete III propeller is quieter and has a smaller diameter than two-blade designs for ultimate shallow water performance
- Compact, lightweight lower units
- Saltwater anode for added corrosion protection

ERGONOMIC extending handle puts control at your fingertips.

GREAT WHITE

PROPS

MOTORGUIDE® OFFERS A COMPLETE LINE OF PERFORMANCE-TUNED PROPELLERS TO ENHANCE YOUR MOTOR'S ALL-AROUND PERFORMANCE IN ANY APPLICATION. MotorGuide custom props were designed with the input of the Mercury® Propeller engineers and include weedless, power and shallow water options.

The Safari™ weedless delivers quiet power

2-Blade Power Prop
Hub Size: 3"
Application: Power & Efficiency
MGA0476B

3-Blade Aluminum Machete®
Hub Size: 3.5"
Application: Shallow & Durability
MGA087M

3-Blade Machete III Black
Hub Size: 3.5"
Application: Speed & Efficiency
MGA089B

3-Blade Machete III White Glass-Filled
Hub Size: 3.5"
Application: Speed & Efficiency
MGA089W

2-Blade Power Prop
Hub Size: 3.5"
Application: Power & Efficiency
MGA0495B

3-Blade Machete III Grey Glass-Filled
Hub Size: 3.5"
Application: Shallow & Durability
MGA089G

Safari™ Weedless
Hub Size: 3.5"
Application: Weedless & Power
8M0028330

Ninja™ Prop Wrench
Comes complete with spare prop nut and two prop pins, allowing fast prop changes.
MGA050B6

CHARGERS

MOTORGUIDE'S RECREATIONAL-GRADE MARINE BATTERY CHARGERS use Auto Transfer Technology to maintain the engine crank while providing automatic charging to your trolling batteries. Simply plug it in for fully automatic charging with moderate charge times and built-in safe maintenance mode for long or short term storage. No more need for on-board portable battery chargers and the hassle of "one at a time" charging. These durable chargers are pre-wired for easy installation and are engineered for years of safe and convenient operation.

Model 5
31705

Model 5/5
31710

Model 5/5/3
31713

RIGGING

50-AMP CLIPS
Feature upscale grip design and higher amp rating. **8M4000287**

(50-amp) **MM5870**

MANUAL RESET BREAKERS
Protect your motor and boat wiring.

(60-amp) **8M0064076**

6-GAUGE BATTERY CABLE AND TERMINALS WITH 50-AMP MANUAL RESET BREAKER
Protect your investment with this 50-amp manual reset breaker and heavy-duty 6-ga. battery cable and terminal. **MM309922T**

TROLLING MOTOR POWER PLUG.
Two-prong 12-, 24- or 36-volt power plug provides a solid, safe connection. **8M4000953**



TROLLING MOTOR POWER RECEPTACLE
Matching two-prong 12-, 24- or 36-volt trolling motor receptacle for bow-panel installation. **8M4000954**

SONAR ADAPTERS WITH 7-PIN BLUE/GRAY CONNECTOR
The Sonar Adapters are designed to provide clean, clear signals for the leading sonar brands. For use with MotorGuide motors with blue/gray 7-pin sonar connector. See **motorguide.com** for the latest compatibility list.

LOWRANCE (6-Pin)
8M4001959

GARMIN (6-Pin)
8M4001961

VEXILAR (3-Pin)
8M4001960

HUMMINBIRD (7-Pin)
8M4001962

QUICK CLAMP BATTERY CONNECTORS
Heavy-duty connectors for quick battery removal, charging and storage. **90100010**

TROLLING MOTOR REPLACEMENT PLUG
Use with 16- to 8-gauge wire. Easy to connect with Trolling Motor Receptacle 90100004. **90100003**

TROLLING MOTOR RECEPTACLE
Use with 10-gauge and 8-gauge wire. For 6-gauge wire, use Adapter 90100005. **90100004**

TROLLING MOTOR RECEPTACLE – 6 GAUGE ADAPTER
Accepts 6-gauge wire. For use with Trolling Motor Receptacle 90100004. **90100005**

WIRELESS

REMOTE HARD STORAGE CASE
(interior shown with Wireless Series RF foot-control and Wireless Hand-Held Remote – not included). **MGA505A1**

WIRELESS FOOT PEDAL
8M4000952

WIRELESS SERIES ANTI-SLIP RUBBER FOOT PEDAL PADS
Form fit rubber pads insert into Wireless foot pedal for non-slip performance on aluminum and gel-coat surfaces. **8M0029474**

WIRELESS HAND-HELD REMOTE
Take control from anywhere in the boat with our exclusive high-frequency remote. For use with Wireless Series trolling motors. **M887657**

SONAR ADAPTERS The Sonar Adapters are designed to provide clean, clear signals for the leading brands of sonar. See motorguide.com for sonar listing. For pre-2010 Wireless with black 6-pin connector.

LOWRANCE (7-Pin)
8M4000386

VEXILAR (3-Pin)
8M0029350

GARMIN (6-Pin)
8M0029351

HUMMINBIRD (7-Pin)
8M0029352

MOUNTING

REMOVABLE MOUNT Makes motor removal and installation fast and simple. Universal hole patterns. Fits Gator® Flex 360, 20.8, 21, 21R, 24 and 24R mounts.



TROLLING MOTOR MOUNTING KIT Absorbs shock and protects electronics. Steel bolts and washers fit all trolling motors. Four per package. **8M4000873**

WIRELESS MOUNTING PLATE If you own multiple boats, take advantage of the quick-release Wireless Mounting Plate and swap your Wireless motor from boat to boat – it saves time and money. **8M4000975**

WIRELESS MOUNTING PLATE COVERS
Snap in place and clean up the deck.

FRESHWATER BLACK
MGA506A1

SALTWATER WHITE
8M4000292

UNIVERSAL EXTENSION HANDLES Locks into place to fit transom-mount trolling motors and most popular tiller engines.

WEIGHT PLATE
Fits Freshwater Series foot pedals to stabilize in rough water. Includes rubber non-slip feet. **M899464T**

MOUNTING ISOLATORS Absorbs shock and protects electronics. Ideal for mounting all marine accessories without having to go under the deck. Four per package. **MGA015PB6**

TOUR GRADE REPLACEMENT HANDLE
With soft grip handle and high-strength rope for unsurpassed durability. **8M4000275**

TIE DOWN STRAPS
The adjustable hook and loop strap keeps your trolling motor safely secured while trailering or on the water.
MGA507A1

ACCESSORIES

NEW MOTORGUIDE® RAM® MOUNT TROLLING MOTOR STABILIZERS
Considered essential by northern anglers and saltwater fishermen alike. Prevents damage to motor, shaft and head in rough water conditions.

RAIL MOUNT BASE
8M4000976
STANDARD
8M4000977
LONG
8M4000978

GATOR MOUNT SPRING KIT Fits 20.8, 21R and 24R Gator mounts. Allows for automatic breakaway reset for shallow water fishing. **8M4000294**



BOUNCE BUSTER™ II
For 21, 21R, 24 and 24R Gator Mounts. **MGA097B6**

MOTORGUIDE® APPAREL AND GIFTS. Order official MotorGuide merchandise by calling 1-800-789-2727 or visit us at motorguide.com

APPAREL

SPORT VISOR
The perfect visor for a long day on the water. Sporty colorblocking joins Dry Zone moisture-wicking technology for a 5-panel visor that performs. 91% polyester nylon / 9% cotton twill. Adjustable Velcro closure.
$14 each

MESH BACK CAP
Bio washed twill front panels
Ultra soft mesh sides and back.
Unstructured, low profile, 6 panel.
Matching under visor. Adjustable Velcro closure. **$11 each**

PERFORMANCE CAP
100% polyester performance cap. Mid-to-low profile. Structured. Anti-glare undervisor. Flex fit sizing. Fits 7" to 7½" head sizes. **$18 each**

LOGO TEE
100% cotton tee with center chest MotorGuide logo. Sizes S-3X.
$11 each

NEOPRENE COLLAPSIBLE KOOZIE Premium quality Neoprene Collapsible can koozie. 4" high x 4" wide. Red and black available.
$2.25 each

MULTI-TOOL KEYCHAIN
Includes flat head screwdriver, Phillips head screwdriver, knife, bottle opener, and LED light. Approximate size: 1 1/8" x 2 3/8". **$6 each**

BACKPACK
Protects your laptop with bold OGIO style. 600D poly/420D dobby poly. Top-entry padded laptop compartment. Fleece-lined valuables and digital media pocket. Organization panel. Dual side beverage/accessory holsters. Adjustable ergonomic shoulder straps. Dimensions: 19.25" H x 13" W x 9.5" D. Laptop sleeve: 15.5" H x 10.5" W x 1.5" D. Fits most 15" laptops.
$55 each

SOLAR SHIELD FISHING TEE
100% spun polyester fabric with UPF 30+ Sun Protection. Designed to wick moisture away from your skin for rapid evaporation, 4 to 8 times faster than 100% cotton. Easy-care fabric. Center chest MotorGuide logo print, with full back custom design. Sizes S-2X. **$19 each**

COLOR BLOCK POLO
100% polyester, 4.3 oz, performance polo with antimicrobial and moisture wicking functions. Color-block body with self fabric collar. Contrasting shoulder inserts, neck tape and decorative stitching. Hemmed sleeves. Three-button placket. Easy care. Sizes M-3X.
$34 each

HOODED SWEATSHIRT
9.5oz, 80% cotton/20% polyester heavyweight hooded sweatshirt with front pouch pocket. MotorGuide logo printed on the center chest and left sleeve. Sizes M-2X. Add $2.00 for 2X. **$34 each**

FLEECE VEST
7.7 oz, 100% polyester anti-pill fleece. Center front reverse coil zipper. Brushed tricot-lined lower pockets with reverse coil zippers. Tonal coverstitch detailing. Stretch binding finish on armholes. **$45 each**

PREMIER SERVICE CENTERS. For a complete list of service centers near you, visit motorguide.com or contact consumer affairs at (920) 929-5040.

SERVICE

Name	Address	City	State	ZIP	Phone
Fox Trolling Motors	4401 Government Blvd	Mobile	AL	36693	(251) 661-7033
N.I.F.E. Marine	4100 Rixie Road	Sherwood	AR	72117	(501) 835-2929
Jones Trolling Motor Services	3501 Washington Street	Texarkana	AR	71854	(870) 773-3474
Martin Marine	715 W Broadway Road	Mesa	AZ	85210	(480) 898-1800
The Trolling Motor Doctor	3720 Industry Avenue #105	Lakewood	CA	90712	(800) 944-9446
Hook Line & Sinker	3100 Main Street #260	Oakley	CA	94561	(925) 625-2441
Sunny's Electric Marine	1500 El Camino Ave., Suite C	Sacramento	CA	95815	(916) 487-3868
Kels Rod & Reel Service Inc.	430 Hwy 436 #105	Casselberry	FL	32707	(407) 834-3008
Smith Marine Enterprises	2420 Condorde Drive, #2	Fort Myers	FL	33901	(239) 939-5776
Trolling Motor Service	5615 Wesconnett Blvd	Jacksonville	FL	32244	(904) 573-0480
Central Florida Trolling Motor	3780 US Hwy 92 East	Lakeland	FL	33801	(863) 666-2248
S&A Leisure Inc.	1300 N. Hwy 309	Welaka	FL	32193	(386) 467-7000
Marine Specialty House	6444 Camp Road	Riverdale	GA	30296	(770) 996-9014
A2O Boating & Marine	2005 Charlestown New Albany Rd.	Jeffersonville	IN	47130	(812) 282-4636
Tackle Service Center	246 East Washington Street	Mooresville	IN	46158	(317) 831-2400
Outdoor World LLC	1424 S. State Rd. 57	Washington	IN	47501	(812) 254-9350
B & J Marine Inc.	5910 Poplar Level Road	Louisville	KY	40228	(502) 969-8511
Trolling Motor Shop/B & S Marine	2221 N Airway Drive	Baton Rouge	LA	70815	(225) 928-9644
Trolling Motors Unlimited	2412 Veronica Drive	Chalmette	LA	70043	(504) 442-5735
Dixie Trolling Motors	70161 Hwy 59, Suite F	Abiba Springs	LA	70420	(985) 809-0685
Superior Repair Services	116 Banks Ave.	Lafayette	LA	70506	(337) 237-0605
Mid Lake Marine	13126 Texas Hwy	Many	LA	71449	(318) 256-5573
Antley Trolling Motor	342 Worthey Road	West Monroe	LA	71291	(318) 396-9292
Motor Clinic	6667 W. Old Shakopee Road #101	Bloomington	MN	55438	(952) 881-0898
Tri-State Trolling Motor Repair	428 Chez Paree Drive	Hazelwood	MO	63042	(314) 921-7292
Marine Repair Center Inc.	514 North Prince Lane	Springfield	MO	65802	(417) 833-9191
Fisherman's Friend	1401 South Ridge Avenue	Kannapolis	NC	28083	(704) 934-2122
Big John's Fishing	26505 S. Hwy 125	Afton	OK	74331	(918) 257-8385
Robby's Trolling Motor Shop	328 E. Kenosha	Broken Arrow	OK	74012	(918) 853-2651
Port-Tronics Inc.	1904 Piedmont Highway	Greenville	SC	29605	(864) 299-1432
South Texas Trolling Motor Sales & Service	9705 South Padre Island Drive	Corpus Christi	TX	78418	(361) 939-8970
All Star Marine Electronics	3434A Dilido	Dallas	TX	75228	(214) 320-1673
Boris Marine Electronics	5301 Azle Avenue	Fort Worth	TX	76114	(817) 624-3932
Gulf Coast Trolling Motor	12800 Gulf Freeway	Houston	TX	77034	(281) 481-6838
Angler's Choice	20222 Ballinger Way NE	Shoreline	WA	98155	(206) 364-9827
Anchors Aweigh Inc.	2035 South West Avenue	Waukesha	WI	53189	(262) 547-7170
CANADA					
Mike's Reel Repair	108 31060 Peardonville Rd	Abbotsford	BC	V2T 6K5	(888) 404-1119
Ken's Angler Service	1301 Main St South	Dauphin	MB	R7N 2X7	(204) 638-0057
Hasting's Starter & Alternator	27804 Hwy 28 South	Bancroft	ON	K0L 1C0	(613) 339-1919
A Aikman Sporting Goods Repair	3010 Novar Rd	Mississauga	ON	L5B 1S4	(905) 277-3595
Boat Tech	1058 Copperstone Dr Unit 2	Pickering	ON	L1W 3V8	(905) 686-5007
Clement Monfette Service Inc	317 La Canardiere	Quebec	QC	G1L 4X2	(418) 522-5651
Service Shiman au Peche Inc	9756 Henri Bourassa	St Laurent	QC	H45 1RS	(514) 956-9695
Les Mains Agiles Ltee	206 Boul Labelle	St Rose Laval	QC	H7L 3A1	(450) 625-6963

Xi5 WIRELESS ELECTRIC STEER BOW MOUNT– FRESHWATER

Model #	Part #	Peak Thrust	Shaft	Shaft Material	Volts	Speed Controls	200-kHz Transducer	Pinpoint GPS	Control	Propeller	Mount Style
Xi5-55 / 48"	940800170	55	48"	Composite	12	Digital Variable	No	Accessory	Wireless Pedal	2-Blade Safari	Xi5 Mount
Xi5-55 / 54"	940800180	55	54"	Composite	12	Digitall Variable	No	Accessory	Wireless Pedal	2-Blade Safari	Xi5 Mount
Xi5-80 / 54"	940800080	80	54"	Composite	24	Digitall Variable	No	Accessory	Wireless Pedal	2-Blade Safari	Xi5 Mount
Xi5-80 / 60"	940800090	80	60"	Composite	24	Digitall Variable	No	Accessory	Wireless Pedal	2-Blade Safari	Xi5 Mount
Xi5-105 / 54"	940800130	105	54"	Composite	36	Digitall Variable	No	Accessory	Wireless Pedal	2-Blade Safari	Xi5 Mount
Xi5-105 / 60"	940800140	105	60"	Composite	36	Digitall Variable	No	Accessory	Wireless Pedal	2-Blade Safari	Xi5 Mount
Xi5-55 / 48"	940800190	55	48"	Composite	12	Digitall Variable	Yes	Accessory	Wireless Pedal	2-Blade Safari	Xi5 Mount
Xi5-55 / 54"	940800200	55	54"	Composite	12	Digitall Variable	Yes	Accessory	Wireless Pedal	2-Blade Safari	Xi5 Mount
Xi5-80 / 54"	940800110	80	54"	Composite	24	Digitall Variable	Yes	Accessory	Wireless Pedal	2-Blade Safari	Xi5 Mount
Xi5-80 / 60"	940800120	80	60"	Composite	24	Digitall Variable	Yes	Accessory	Wireless Pedal	2-Blade Safari	Xi5 Mount
Xi5-105 / 54"	940800150	105	54"	Composite	36	Digitall Variable	Yes	Accessory	Wireless Pedal	2-Blade Safari	Xi5 Mount
Xi5-105 / 60"	940800160	105	60"	Composite	36	Digitall Variable	Yes	Accessory	Wireless Pedal	2-Blade Safari	Xi5 Mount
Xi5-55 / 45"	940800210	55	45"	Composite	12	Digitall Variable	Yes	Yes	Wireless Pedal/GPS Remote	2-Blade Safari	Xi5 Mount
Xi5-55 / 54"	940800220	55	54"	Composite	12	Digitall Variable	Yes	Yes	Wireless Pedal/GPS Remote	2-Blade Safari	Xi5 Mount
Xi5-80 / 45"	940800270	80	45"	Composite	24	Digitall Variable	Yes	Yes	Wireless Pedal/GPS Remote	2-Blade Safari	Xi5 Mount
Xi5-80 / 54"	940800230	80	54"	Composite	24	Digitall Variable	Yes	Yes	Wireless Pedal/GPS Remote	2-Blade Safari	Xi5 Mount
Xi5-80 / 60"	940800240	80	60"	Composite	24	Digitall Variable	Yes	Yes	Wireless Pedal/GPS Remote	2-Blade Safari	Xi5 Mount
Xi5-105 / 54"	940800250	105	54"	Composite	36	Digitall Variable	Yes	Yes	Wireless Pedal/GPS Remote	2-Blade Safari	Xi5 Mount
Xi5-105 / 60"	940800260	105	60"	Composite	36	Digitall Variable	Yes	Yes	Wireless Pedal/GPS Remote	2-Blade Safari	Xi5 Mount

Xi5 WIRELESS ELECTRIC STEER BOW MOUNT– SALTWATER

Model #	Part #	Peak Thrust	Shaft	Shaft Material	Volts	Speed Controls	200-kHz Transducer	Pinpoint GPS	Control	Propeller	Mount Style
Xi5-55 / 48"	941700060	55	48"	Composite	12	Digitall Variable	No	Accessory	Wireless Remote	2-Blade Safari	Xi5 Mount
Xi5-55 / 54"	941700070	55	54"	Composite	12	Digitall Variable	No	Accessory	Wireless Remote	2-Blade Safari	Xi5 Mount
Xi5-80 / 54"	941700020	80	54"	Composite	24	Digitall Variable	No	Accessory	Wireless Remote	2-Blade Safari	Xi5 Mount
Xi5-80 / 60"	941700030	80	60"	Composite	24	Digitall Variable	No	Accessory	Wireless Remote	2-Blade Safari	Xi5 Mount
Xi5-105 / 54"	941700040	105	54"	Composite	36	Digitall Variable	No	Accessory	Wireless Remote	2-Blade Safari	Xi5 Mount
Xi5-105 / 60"	941700050	105	60"	Composite	36	Digitall Variable	No	Accessory	Wireless Remote	2-Blade Safari	Xi5 Mount
Xi5 80 / 48" GPS	941700110	80	48"	Composite	24	Digitall Variable	No	Yes	GPS Remote	2-Blade Safari	Xi5 Mount
Xi5-55 / 54" GPS	941700080	55	54"	Composite	12	Digitall Variable	No	Yes	GPS Remote	2-Blade Safari	Xi5 Mount
Xi5-80 / 60" GPS	941700090	80	60"	Composite	24	Digitall Variable	No	Yes	GPS Remote	2-Blade Safari	Xi5 Mount
Xi5-105 / 60" GPS	941700100	105	60"	Composite	36	Digitall Variable	No	Yes	GPS Remote	2-Blade Safari	Xi5 Mount

WIRELESS DIGITAL SERIES ELECTRIC STEER BOW MOUNT– FRESHWATER

Model #	Part #	Peak Thrust	Shaft	Shaft Material	Volts	Speed Controls	Motor Directions	200-kHz Transducer	Control	Propeller	Mount Style
W45 Wireless / 48"	970100360	45	48"	Composite	12	Digital Variable	Forward	No	Wireless Pedal	Power Prop 3.5"	Removable Mount
W45 Wireless / 54"	970100370	45	54"	Composite	12	Digital Variable	Forward	No	Wireless Pedal	Power Prop 3.5"	Removable Mount
W55 Wireless / 48"	970100020	55	48"	Composite	12	Digital Variable	Forward	No	Wireless Pedal	Power Prop 3.5"	Removable Mount
W55 Wireless / 54"	970100030	55	54"	Composite	12	Digital Variable	Forward	No	Wireless Pedal	Power Prop 3.5"	Removable Mount
W55 Wireless / 60"	970100060	55	60"	Composite	12	Digital Variable	Forward	No	Wireless Pedal	Power Prop 3.5"	Removable Mount
W75 Wireless / 48"	970100080	75	48"	Composite	24	Digital Variable	Forward	No	Wireless Pedal	Power Prop 3.5"	Removable Mount
W75 Wireless / 54"	970100040	75	54"	Composite	24	Digital Variable	Forward	No	Wireless Pedal	Power Prop 3.5"	Removable Mount
W75 Wireless / 60"	970100050	75	60"	Composite	24	Digital Variable	Forward	No	Wireless Pedal	Power Prop 3.5"	Removable Mount
W55L Wireless / 54"	970100100	55	54"	Composite	12	Digital Variable	Forward	Yes	Wireless Pedal	Power Prop 3.5"	Removable Mount
W75L Wireless / 48"	970100110	75	48"	Composite	24	Digital Variable	Forward	Yes	Wireless Pedal	Power Prop 3.5"	Removable Mount
W75L Wireless / 60"	970100120	75	60"	Composite	24	Digital Variable	Forward	Yes	Wireless Pedal	Power Prop 3.5"	Removable Mount

WIRELESS DIGITAL REMOTE SERIES BOW MOUNT– SALTWATER (with hand-held remote & mounting plate cover)

Model #	Part #	Peak Thrust	Shaft	Shaft Material	Volts	Speed Controls	Motor Directions	200-kHz Transducer	Control	Propeller	Mount Style
W55 SW Wireless / 48"	970200010	55	48"	Composite	12	Digital Variable	Forward	No	Wireless Remote	Machete III	Removable Mount
W55 SW Wireless / 54"	970200020	55	54"	Composite	12	Digital Variable	Forward	No	Wireless Remote	Machete III	Removable Mount
W75 SW Wireless / 48"	970200030	75	48"	Composite	24	Digital Variable	Forward	No	Wireless Remote	Machete III	Removable Mount
W75 SW Wireless / 60"	970200040	75	60"	Composite	24	Digital Variable	Forward	No	Wireless Remote	Machete III	Removable Mount

TOUR EDITION DIGITAL BOW MOUNT

Model #	Part #	Peak Thrust	Shaft	Shaft Material	Volts	Speed Controls	Motor Directions	200-kHz Transducer	Control	Propeller	Mount Style
TR75 FB Digital / 45"	930010390	75	45"	Stainless Steel	24	Digital Variable	Forward	No	Cable	Machete III	Gator® Breakaway
TR82 FB Digital / 45"	9BT42GAAF	82	45"	Stainless Steel	24	Digital Variable	Forward	No	Cable	Machete III	Gator® Breakaway
TR82 FB Digital / 50"	9BT52GAAF	82	50"	Stainless Steel	24	Digital Variable	Forward	No	Cable	Machete III	Gator® Breakaway
TR109 FB Digital / 45"	9BX43GAAF	109	45"	Stainless Steel	36	Digital Variable	Forward	No	Cable	Machete III	Gator® Breakaway
TR109 FB Digital / 50"	9BX53GAAF	109	50"	Stainless Steel	36	Digital Variable	Forward	No	Cable	Machete III	Gator® Breakaway
TR75L FB Digital / 45"	930010450	75	45"	Stainless Steel	24	Digital Variable	Forward	No	Cable	Machete III	Gator® Breakaway
TR82L FB Digital / 45"	930011020	82	45"	Stainless Steel	24	Digital Variable	Forward	Yes	Cable	Machete III	Gator® Breakaway
TR82L FB Digital / 50"	930011030	82	50"	Stainless Steel	24	Digital Variable	Forward	Yes	Cable	Machete III	Gator® Breakaway
TR82L FB Digital / 60"	930011040	82	60"	Stainless Steel	24	Digital Variable	Forward	Yes	Cable	Machete III	Gator® Breakaway
TR109L FB Digital / 45"	930011050	109	45"	Stainless Steel	36	Digital Variable	Forward	Yes	Cable	Machete III	Gator® Breakaway
TR109L FB Digital / 50"	930011060	109	50"	Stainless Steel	36	Digital Variable	Forward	Yes	Cable	Machete III	Gator® Breakaway
TR109L FB Digital / 60"	930011070	109	60"	Stainless Steel	36	Digital Variable	Forward	Yes	Cable	Machete III	Gator® Breakaway

X3 FOOT-CONTROL BOW MOUNT

Model #	Part #	Peak Thrust	Shaft	Shaft Material	Volts	Speed Controls	Motor Directions	Directional Indicator	Control	Propeller	Steering
X3-45FW FB / 36"	940200050	45	36"	Composite	12	5	Forward	Yes	Cable	2-Blade Weedless	Variable Ratio
X3-45FW FB / 45"	940200060	45	45"	Composite	12	5	Forward	Yes	Cable	2-Blade Weedless	Variable Ratio
X3-45FW FB / 50"	940200070	45	50"	Composite	12	5	Forward	Yes	Cable	2-Blade Weedless	Variable Ratio
X3-55FW FB / 36"	940200080	55	36"	Composite	12	5	Forward	Yes	Cable	2-Blade Weedless	Variable Ratio
X3-55FW FB / 45"	940200090	55	45"	Composite	12	5	Forward	Yes	Cable	2-Blade Weedless	Variable Ratio
X3-55FW FB / 50"	940200100	55	50"	Composite	12	5	Forward	Yes	Cable	2-Blade Weedless	Variable Ratio
X3-70FW FB / 45"	940200110	70	45"	Composite	24	5	Forward	Yes	Cable	2-Blade Weedless	Variable Ratio
X3-70FW FB / 50"	940200120	70	50"	Composite	24	5	Forward	Yes	Cable	2-Blade Weedless	Variable Ratio

X3 HAND-CONTROL BOW MOUNT

Model #	Part #	Peak Thrust	Shaft	Shaft Material	Volts	Speed Controls	Motor Directions	Directional Indicator	Control	Propeller	Steering
X3-45FW HB / 50"	940200130	45	50"	Composite	12	5/2	Forward/Reverse	No	Twist/Extendable	Machete III	Hand
X3-55FW HB / 50"	940200140	55	50"	Composite	12	5/2	Forward/Reverse	No	Twist/Extendable	Machete III	Hand

FRESHWATER SERIES FOOT-CONTROL TRANSOM MOUNT

Model #	Part #	Peak Thrust	Shaft	Shaft Material	Volts	Speed Controls	Motor Directions	200-kHz Transducer	Control	Propeller	Mount Style
Bulldog® 40 FT / 30"	921500020	40	30"	Aluminum	12	5	Forward/Reverse	No	Rack & Pinion	Machete III	#03 Transom
Bulldog® 54 FT / 30"	921500090	54	30"	Aluminum	12	5	Forward/Reverse	No	Rack & Pinion	Machete III	#09 Transom Wide-Bite

FRESHWATER SERIES HAND-CONTROL BOW MOUNT

Model #	Part #	Peak Thrust	Shaft	Shaft Material	Volts	Speed Controls	Motor Directions	200-kHz Transducer	Control	Propeller	Mount Style
FW109 HB Digital / 50"	923410020	109	50"	Stainless Steel	36	Digital Variable	Forward/Reverse	No	Ext. Twist-Tiller	Machete III	Gator® Breakaway

VARIMAX™ DIGITAL HAND-CONTROL TRANSOM MOUNT–FRESHWATER

Model #	Part #	Peak Thrust	Shaft	Shaft Material	Volts	Speed Controls	Motor Directions	Function Gauge	Control	Propeller	Mount Style
V40 HT Digital / 30"	966000010	40	30"	Aluminum	12	Digital Variable	Forward/Reverse	BluVis	Twist/Extendable	Machete III	#09 Transom Wide-Bite
V40 HT Digital / 36"	966000020	40	36"	Aluminum	12	Digital Variable	Forward/Reverse	BluVis	Twist/Extendable	Machete III	#09 Transom Wide-Bite
V45 HT Digital / 36"	966000030	45	36"	Aluminum	12	Digital Variable	Forward/Reverse	BluVis	Twist/Extendable	Machete III	#09 Transom Wide-Bite
V45 HT Digital / 42"	966000040	45	42"	Aluminum	12	Digital Variable	Forward/Reverse	BluVis	Twist/Extendable	Machete III	#09 Transom Wide-Bite
V55 HT Digital / 36"	966000050	55	36"	Aluminum	12	Digital Variable	Forward/Reverse	BluVis	Twist/Extendable	Machete III	#09 Transom Wide-Bite
V55 HT Digital / 42"	966000060	55	42"	Aluminum	12	Digital Variable	Forward/Reverse	BluVis	Twist/Extendable	Machete III	#09 Transom Wide-Bite
V75 HT Digital / 42"	966000070	75	42"	Aluminum	24	Digital Variable	Forward/Reverse	BluVis	Twist/Extendable	Machete III	#09 Transom Wide-Bite

VARIMAX™ DIGITAL HAND-CONTROL BOW MOUNT–FRESHWATER

Model #	Part #	Peak Thrust	Shaft	Shaft Material	Volts	Speed Controls	Motor Directions	Function Gauge	Control	Propeller	Mount Style
V55 HB Digital / 50"	966000080	55	50"	Aluminum	12	Digital Variable	Forward/Reverse	BluVis	Twist/Extendable	Machete III	Gator® Breakaway
V75 HB Digital / 50"	966080035	75	50"	Aluminum	24	Digital Variable	Forward/Reverse	BluVis	Twist/Extendable	Machete III	Gator® Breakaway

VARIMAX™ DIGITAL HAND-CONTROL PONTOON MOUNT–FRESHWATER

Model #	Part #	Peak Thrust	Shaft	Shaft Material	Volts	Speed Controls	Motor Directions	Function Gauge	Control	Propeller	Mount Style
V55 HP Digital / 50"	966050010	55	50"	Aluminum	12	Digital Variable	Forward/Reverse	BluVis	Twist/Extendable	Machete III	Pontoon
V75 HP Digital / 50"	966050020	75	50"	Aluminum	24	Digital Variable	Forward/Reverse	BluVis	Twist/Extendable	Machete III	Pontoon

VARIMAX™ DIGITAL HAND-CONTROL TRANSOM MOUNT–SALTWATER

Model #	Part #	Peak Thrust	Shaft	Shaft Material	Volts	Speed Controls	Motor Directions	Function Gauge	Control	Propeller	Mount Style
V45SW HT Kayak / 18"	966100010	45	18"	Stainless Steel	12	Digital Variable	Forward/Reverse	BluVis	Twist/Extendable	Machete III	#09 Transom Wide-Bite
V45SW HT Digital / 36"	966100020	45	36"	Stainless Steel	12	Digital Variable	Forward/Reverse	BluVis	Twist/Extendable	Machete III	#09 Transom Wide-Bite
V55SW HT Digital / 36"	966100030	55	36"	Stainless Steel	12	Digital Variable	Forward/Reverse	BluVis	Twist/Extendable	Machete III	#09 Transom Wide-Bite

VARIMAX™ DIGITAL HAND-CONTROL BOW MOUNT–SALTWATER

Model #	Part #	Peak Thrust	Shaft	Shaft Material	Volts	Speed Controls	Motor Directions	Function Gauge	Control	Propeller	Mount Style
V55SW HB Digital / 50"	966100040	55	50"	Stainless Steel	12	Digital Variable	Forward/Reverse	BluVis	Twist/Extendable	Machete III	Gator® Breakaway SW
V75SW HB Digital / 50"	966180830	75	50"	Stainless Steel	24	Digital Variable	Forward/Reverse	BluVis	Twist/Extendable	Machete III	Gator® Breakaway SW
V75SW HB Digital / 60"	966180840	75	60"	Stainless Steel	24	Digital Variable	Forward/Reverse	BluVis	Twist/Extendable	Machete III	Gator® Breakaway SW

R3 HAND-CONTROL TRANSOM MOUNT

Model #	Part #	Peak Thrust	Shaft	Shaft Material	Volts	Speed Controls	Motor Directions	Function Gauge	Control	Propeller	Mount Style
R3-30 HT / 30"	940100070	30	30"	Aluminum	12	5/2	Forward/Reverse	No	Twist/Extendable	Machete III	#03 Transom
R3-40 HT / 36"	940100020	40	36"	Aluminum	12	5/2	Forward/Reverse	No	Twist/Extendable	Machete III	#03 Transom
R3-45 HT / 36"	940100030	45	36"	Aluminum	12	5/2	Forward/Reverse	No	Twist/Extendable	Machete III	#09 Transom Wide-Bite
R3-55 HT / 36"	940100050	55	36"	Aluminum	12	5/2	Forward/Reverse	No	Twist/Extendable	Machete III	#09 Transom Wide-Bite

GREAT WHITE® DIGITAL SALTWATER HAND-CONTROL BOW MOUNT

Model #	Part #	Peak Thrust	Shaft	Shaft Material	Volts	Speed Controls	Motor Directions	200-kHz Transducer	Control	Propeller	Mount Style
SW82 HB Digital / 50"	924410050	82	50"	Stainless Steel	24	Digital Variable	Forward/Reverse	No	Ext. Twist-Tiller	Machete III	Gator® Breakaway
SW82 HB Digital / 60"	924410060	82	60"	Stainless Steel	24	Digital Variable	Forward/Reverse	No	Ext. Twist-Tiller	Machete III	Gator® Breakaway
SW109 HB Digital / 50"	924410070	109	50"	Stainless Steel	36	Digital Variable	Forward/Reverse	No	Ext. Twist-Tiller	Machete III	Gator® Breakaway
SW109 HB Digital / 60"	924410080	109	60"	Stainless Steel	36	Digital Variable	Forward/Reverse	No	Ext. Twist-Tiller	Machete III	Gator® Breakaway

GREAT WHITE® DIGITAL SALTWATER HAND-CONTROL TRANSOM MOUNT

Model #	Part #	Peak Thrust	Shaft	Shaft Material	Volts	Speed Controls	Motor Directions	200-kHz Transducer	Control	Propeller	Mount Style
SW82 HT Digital / 45"	9CT42KQAX	82	45"	Stainless Steel	24	Digital Variable	Forward/Reverse	No	Ext. Twist-Tiller	Machete III	#09 Transom Wide-Bite
SW109 HT Digital / 50"	9CX53KQAX	109	50"	Stainless Steel	36	Digital Variable	Forward/Reverse	No	Ext. Twist-Tiller	Machete III	#09 Transom Wide-Bite